

HIT-FP 700R

en	This safety data sheet file is issued for the following production lots: 1. Version 1.0 is valid for HIT-FP 700R with a maximum expiration date of 10/2026 (see foil pack manifold) 2. Version 2.0 is valid for HIT-FP 700R with a minimum expiration date of 02/2027 (see the foil pack manifold)
de	Diese Sicherheitsdatenblatt-Datei betrifft die folgenden Fertigungslose: 1. Version 1.0 ist gültig für HIT-FP 700R mit einem Haltbarkeitsdatum bis 10/2026 (siehe Verbindungsteil) 2. Version 2.0 ist gültig für HIT-FP 700R mit einem Haltbarkeitsdatum ab 02/2027 (siehe Verbindungsteil)
nl	Dit veiligheidsinformatiebladbestand wordt afgegeven voor de volgende productie-lots: 1. Versie 1.0 is geldig voor HIT-FP 700R met een maximale houdbaarheidsdatum tot 10/2026 (zie foliepak verdeler) 2. Versie 2.0 is geldig voor HIT-FP 700R met een minimale houdbaarheidsdatum tot 02/2027 (zie foliepak verdeler)
fr	Ce fichier de données de sécurité est délivré pour les lots de production suivants : 1. La version 1.0 est valide pour HIT-FP 700R avec une date d'expiration maximale de 10/2026 (voir le raccord de cartouche souple) 2. La version 2.0 est valide pour HIT-FP 700R avec une date d'expiration maximale de 02/2027 (voir le raccord de cartouche souple)
da	Denne sikkerhedsdatabladsfil er udgivet for følgende produktions lots: 1. Version 1.0 er gældende for HIT-FP 700R med en maksimal udløbsdato d. 10/2026 (se foliepakkens manifold) 2. Version 2.0 er gældende for HIT-FP 700R med en mindste udløbsdato d. 02/2027 (se foliepakkens manifold)
sv	Denna säkerhetsdatabladsfil har utfärdats för följande tillverkningspartier: 1. Version 1.0 är giltig för HIT-FP 700R med ett sista giltighetsdatum den 10/2026 (se folieförpackningens grenrör) 2. Version 2.0 är giltig för HIT-FP 700R med ett första giltighetsdatum den 02/2027 (se folieförpackningens grenrör)
fi	Tämä käyttöturvallisuustiedote koskee seuraavia tuotantoeriä: 1. Versio 1.0 koskee HIT-FP 700R -tuotetta, jonka viimeinen käyttöpäivämäärä on 10/2026 tai sitä ennen (ks. foliopakkauksen taite) 2. Versio 2.0 koskee HIT-FP 700R -tuotetta, jonka viimeinen käyttöpäivämäärä on 02/2027 tai sen jälkeen (ks. foliopakkauksen taite)
hu	Ezt a biztonsági adatlapot a következő gyártási tételekhez bocsátják ki: 1. Az 1.0 változat legfeljebb 2026/10 lejárati dátummal érvényes a HIT-FP 700R-re (lásd a fóliacsomag sokszorosított iratát) 2. Az 2.0 változat legalább 2027/02 lejárati dátummal érvényes a HIT-FP 700R-re (lásd a fóliacsomag sokszorosított iratát)
es	Este archivo de hoja de datos de seguridad se emite para los siguientes lotes de producción: 1. Versión 1.0 válida para HIT-FP 700R con una fecha de caducidad máxima de 10/2026 (consulte el colector de láminas) 2. Versión 2.0 válida para HIT-FP 700R con una fecha de caducidad mínima de 02/2027 (consulte el colector de láminas)
pt	Este ficheiro com ficha de dados de segurança é emitido para os seguintes lotes de produção: 1. A versão 1.0 é válida para a HIT-FP 700R com um prazo máximo de validade até 10/2026 (ver as diversas embalagens) 2. A versão 2.0 é válida para a HIT-FP 700R com um prazo mínimo de validade até 02/2027 (ver as diversas embalagens)
it	Questo file della scheda tecnica di sicurezza è rilasciato per i seguenti lotti di produzione: 1. La versione 1.0 è valida per HIT-FP 700R con data di scadenza massima 10/2026 (vedere la giunzione della confezione) 2. La versione 2.0 è valida per HIT-FP 700R con data di scadenza minima 02/2027 (vedere la giunzione della confezione)
pl	Ten plik arkusza danych bezpieczeństwa jest wydany dla następujących części produkcyjnych: 1. Wersja 1.0 obowiązuje w przypadku HIT-FP 700R z maksymalnym dniem rozpoczęcia pracy 10/2026 (patrz opakowanie foliowe) 2. Wersja 2.0 obowiązuje w przypadku HIT-FP 700R z minimalnym dniem rozpoczęcia pracy 02/2027 (patrz opakowanie foliowe)
ru	Этот файл сертификата безопасности предоставлен для следующих партий продукции: 1. Версия 1.0 действительна для HIT-FP 700R с максимальным сроком годности до 10.2026 г. (см. присоединительную часть на капсуле) 2. Версия 2.0 действительна для HIT-FP 700R с минимальным сроком годности до 02.2027 г. (см. присоединительную часть на капсуле)
el	Το παρόν δελτίο δεδομένων ασφαλείας εκδίδεται για τις ακόλουθες παρτίδες παραγωγής: 1. Η έκδοση 1.0 ισχύει για το HIT-FP 700R με μέγιστη ημερομηνία λήξης τον 10/2026 (βλέπε διανομέα συσκευασίας μεμβράνης) 2. Η έκδοση 2.0 ισχύει για το HIT-FP 700R με ελάχιστη ημερομηνία λήξης τον 02/2027 (βλέπε τον διανομέα της συσκευασίας μεμβράνης)
cs	Tento soubor s bezpečnostním listem je vystaven pro tyto výrobní závody 1. Verze 1.0 je platná pro HIT-FP 700R s maximálním datem expirace 10/2026 (viz fólie balení) 2. Verze 2.0 je platná pro HIT-FP 700R s minimálním datem expirace 02/2027 (viz fólie balení)
bg	Този информационен лист за безопасност се публикува за следните производствени партии: 1. Версия 1.0 е валидна за HIT-FP 700R с максимален срок на валидност до 10.2026 г. (вж. фолийна опаковка за колектор) 2. Версия 2.0 е валидна за HIT-FP 700R с минимален срок на изтичане 02.2027 г. (вж. фолийна опаковка за колектор)
lv	Šo drošības datu lapa ir izsniegta šādām ražojumu partijām: 1. Versija 1.0 ir derīga izstrādājumam HIT-FP 700R, kura maksimālais derīguma termiņš ir 2026. gada maijs (skatīt folija iepakojuma kolektoru) 2. Versija 2.0 ir derīga izstrādājumam HIT-FP 700R, kura minimālais derīguma termiņš ir 2027. gada jūnijs (skatīt folija iepakojuma kolektoru)
lt	Šis saugos duomenų lapo failas išduodamas šioms gamybos partijoms: 1. 1.0 versija galioja HIT-FP 700R, kurios maksimali galiojimo data – 2026-10 (žr. folinių pakuočių rinkinį) 2. 2.0 versija galioja HIT-FP 700R, kurios minimali galiojimo data – 2027-02 (žr. folinių pakuočių rinkinį)
sk	Tento súbor bezpečnostných údajov sa vydáva pre tieto výrobné šarže: 1. Verzia 1.0 je platná pre HIT-FP 700R s maximálnym dátumom expirácie 10/2026 (pozrite si údaj na fólii balenia) 2. Verzia 2.0 je platná pre HIT-FP 700R s minimálnym dátumom expirácie 02/2027 (pozrite si údaj na fólii balenia)
sl	Datoteka z varnostnim listom je izdana za naslednje proizvodne serije: 1. Različica 1.0 je veljavna za izdelek HIT-FP 700R z maksimalnim datumom poteka veljavnosti: 10/2026 (glejte pakiranje) 2. Različica 2.0 je veljavna za izdelek HIT-FP 700R z minimalnim datumom poteka veljavnosti: 02/2027 (glejte pakiranje)

HIT-FP 700R

et	See ohutuskaardi fail on välja antud järgmistele tootepartidele: 1. Versioon 1.0 kehtib tootele HIT-FP 700R viimase säilimiskuupäevaga 10/2026 (vt fooliumpakendi hargnemiskohta) 2. Versioon 2.0 kehtib tootele HIT-FP 700R esimese säilimiskuupäevaga 02/2027 (vt fooliumpakendi hargnemiskohta)
ro	Acest fișier cu date tehnice de securitate este emis pentru următoarele locuri de producție: 1. Versiunea 1.0 este valabilă pentru HIT-FP 700R cu data maximă de expirare 10/2026 (a se vedea racordul pentru cartușe din folie) 2. Versiunea 2.0 este valabilă pentru HIT-FP 700R cu data minimă de expirare 02/2027 (a se vedea racordul pentru cartușe din folie)
hr	Ovaj sigurnosno-tehnički list izdaje se za sljedeće proizvodne serije: 1. Verzija 1.0 vrijedi za HIT-FP 700R s maksimalnim rokom trajanja do 10/2026 (vidjeti razvodnik iz folije) 2. Verzija 2.0 vrijedi za HIT-FP 700R s minimalnim rokom trajanja do 02/2027 (vidjeti razvodnik iz folije)
tr	Bu güvenlik bilgi formu dosyası aşağıdaki üretim partileri için hazırlanmıştır: 1. Versiyon 1.0, maksimum son kullanma tarihi 10/2026 olan HIT-FP 700R için geçerlidir (bkz. folyo paketi manifoldu) 2. Versiyon 2.0, inimum son kullanma tarihi 02/2027 olan HIT-FP 700R için geçerlidir (bkz. folyo paketi manifoldu)
uk	Цей файл сертифіката безпеки надано для наступних партій продукції: 1. Версія 1.0 дійсна для HIT-FP 700R з максимальним терміном придатності до 10.2026 р. (див. приєднувальну частину на капсулі) 2. Версія 2.0 дійсна для HIT-FP 700R з мінімальним терміном придатності до 02.2027 р. (див. приєднувальну частину на капсулі)
zh	本安全数据表文件针对以下生产批次发布： 1. 版本 1.0 对 HIT-FP 700R 有效，最长失效日期为 2026 年 12 月（参见箔包装歧管） 2. 版本 2.0 对 HIT-FP 700R 有效，最短失效日期为 2027 年 1 月（参见箔包装歧管）
ar	يتم إصدار ملف صحيفة بيانات السلامة لتشغيلات الإنتاج التالية: 1. الإصدار 1.0 صالح لـ HIT-FP 700R بعد أقصى لتاريخ انتهاء الصلاحية هو 2026/12 (انظر العبوة المصنوعة من رقائق الألومنيوم) 2. الإصدار 2.0 صالح لـ HIT-FP 700R على الأقل لتاريخ انتهاء الصلاحية هو 2027/1 (انظر العبوة المصنوعة من رقائق الألومنيوم)
ja	この安全性データシートファイルは、次の生産ロット用に発行されています： 1. バージョン 1.0 は、有効期限が最大 2026 年 12 月までの HIT-FP 700R に対して有効です（フォイルパック連結部に表示） 2. バージョン 2.0 は、有効期限が 2027 年 1 月以降の HIT-FP 700R に対して有効です（フォイルパック連結部に表示）
sr	Datoteka bezbednosnog lista se izdaje za sledeće proizvodne serije: 1. Verzija 1.0 je dostupna za HIT-FP 700R sa maksimalnim datumom isteka 10/2026 (pogledajte ivicu pakovanja od folije) 2. Verzija 2.0 je dostupna za HIT-FP 700R sa minimalnim datumom isteka 02/2027 (pogledajte ivicu pakovanja od folije)
ms	Fail helaian data keselamatan ini dikeluarkan untuk lot pengeluaran yang berikut: 1. Versi 1.0 adalah sah untuk HIT-FP 700R dengan tarikh tamat tempoh maksimum pada 10/2026 (lihat manifold pek kerajang) 2. Versi 2.0 adalah sah untuk HIT-FP 700R dengan tarikh tamat tempoh minimum pada 02/2027 (lihat manifold pek kerajang)
ko	본 안전보건자료는 다음 제품 로트에 대해 발급되었습니다. 1. 버전 1.0(은)는 HIT-FP 700R에 대해 유효하며, 최대 만료 기한은 2026년 12월입니다(호일 팩 매니폴드 참조) 2. 버전 2.0(은)는 HIT-FP 700R에 대해 유효하며, 최소 만료 기한은 2027년 1월입니다(호일 팩 매니폴드 참조)
id	File lembar data keselamatan ini diterbitkan untuk lot produksi berikut: 1. Versi 1.0 berlaku untuk HIT-FP 700R dengan tanggal kedaluwarsa maksimum 10/2026 (lihat foil pack manifold) 2. Versi 2.0 berlaku untuk HIT-FP 700R dengan tanggal kedaluwarsa minimum 02/2027 (lihat foil pack manifold)
he	קובץ גיליון נתוני בטיחות זה מונפק עבור מגרשי הייצור הבאים: 1. גרסה 1.0 תקפה ל-HIT-FP 700R עם תאריך תפוגה מקסימלי של 10/2026 (ראה יריעת פולק פאק) 2. גרסה 2.0 תקפה ל-HIT-FP 700R עם תאריך תפוגה מינימלי של 02/2027 (ראה יריעת פולק פאק)
th	แผ่นข้อมูลด้านความปลอดภัยนี้จัดทำสำหรับล็อตการผลิตดังต่อไปนี้: 1. เวอร์ชัน 1.0 ใช้ได้กับ HIT-FP 700R ที่มีวันหมดอายุไม่เกิน 10/2026 (โปรดดูแผ่นพับห่อฟอยล์) 2. เวอร์ชัน 2.0 ใช้ได้กับ HIT-FP 700R ที่มีวันหมดอายุขั้นต่ำ 02/2027 (โปรดดูแผ่นพับห่อฟอยล์)
vi	Tập bảng dữ liệu an toàn này được phát hành cho các lô sản xuất sau: 1. Phiên bản 1.0 hợp lệ cho HIT-FP 700R với ngày hết hạn tối đa là 10/2026 (xem ống keo cấy thép) 2. Phiên bản 2.0 hợp lệ cho HIT-FP 700R với ngày hết hạn tối thiểu là 02/2027 (xem ống keo cấy thép)
zh tw	下列生產批次將獲核發本安全資料表檔案： 1. 1.0 版適用於 HIT-FP 700R，最長到期日 10/2026（請見鋁箔包打字紙） 2. 2.0 版適用於 HIT-FP 700R，最短到期日 02/2027（請見鋁箔包打字紙）
kk	Бұл қауіпсіздік паспорты мына өндірістік партиялар үшін шығарылады: 1. 1.0 нұсқасы жарамдылық мерзімі көп уақытты (10/2026) қамтитын HIT-FP 700R үшін жарамды (жұқалтыр қаптаманы қараңыз) 2. 2.0 нұсқасы жарамдылық мерзімі аз уақытты (02/2027) қамтитын HIT-FP 700R үшін жарамды (жұқалтыр қаптаманы қараңыз)

HIT-FP 700 R

Safety information for 2-Component-products

Issue date: 15/01/2026

Revision date: 15/01/2026

Version: 2.0

SECTION 1: Kit identification

1.1 Product identifier

Product name

HIT-FP 700 R



Product code

BU Anchor

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti Emirates L.L.C.
Dubai Investment Park
P.O. Box 11051
Dubai - United Arab Emirates
T +971 800 44584 - F +971 4 885 4405
ae.contactus@hilti.com - www.hilti.ae

SECTION 2: General information

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

SECTION 3:

Classification of the Product

Classification according to the United Nations GHS

Skin Irrit. 2
Eye Dam. 1

H315
H318

Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



GHS05

Signal word (GHS UN)

Danger

Hazardous ingredients

lithium hydroxide; L-(+)-tartaric acid

Hazard statements (GHS UN)

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (GHS UN)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice/attention.


P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

HIT-FP 700 R

Safety information for 2-Component-products

Additional information

2-component-foilpack, contains:
 Component A: Cement, Inhibitor, Water
 Component B: Base, Accelerator, Filler



Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-FP 700 R, B		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Dam. 1, H318

No substance or mixture included in the following Kit components is hazardous according to Regulation (EC) No. 1272/2008 [CLP] and therefore the requirements of Regulation (EU) 2015/830 do not apply

Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-FP 700 R, A		1	pcs (pieces)	Not classified

SECTION 4: General advice

General advice

For professional users only

SECTION 5: Safe handling advice

General measures

Spilled material may present a slipping hazard

Environmental precautions

Prevent entry to sewers and public waters
 Notify authorities if liquid enters sewers or public waters
 Avoid release to the environment
 Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations.

Storage conditions

Protect from sunlight. Store in a well-ventilated place.

Technical measures

Comply with applicable regulations

Precautions for safe handling

Wear personal protective equipment
 Avoid contact with skin and eyes
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work
 Avoid contact during pregnancy/while nursing

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation
 Mechanically recover the product
 On land, sweep or shovel into suitable containers
 Store away from other materials.

For containment

Collect spillage.

Incompatible materials

Sources of ignition
 Direct sunlight

Incompatible products

Strong bases
 Strong acids

SECTION 6: First aid measures

First-aid measures after eye contact

Get immediate medical advice/attention.
 Immediately rinse with water for a prolonged period while holding the eyelids wide open
 Remove contact lenses, if present and easy to do. Continue rinsing.
 Consult an eye specialist

First-aid measures after ingestion

Do not induce vomiting
 Rinse mouth
 Immediately call a POISON CENTER/doctor.

HIT-FP 700 R

Safety information for 2-Component-products

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash with plenty of water/... Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical advice/attention.
First-aid measures general	Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects	Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	Causes serious eye damage.
Symptoms/effects after skin contact	May cause an allergic skin reaction.

SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available



HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Issue date: 15/01/2026 Revision date: 15/01/2026

Version: 2.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Product name	HIT-FP 700 R, A
Product code	BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Composite mortar component for fasteners in the construction industry
Recommended use	For professional use only

1.4. Supplier's details

Supplier

Hilti Emirates L.L.C.
Dubai Investment Park
P.O. Box 11051
AE Dubai
United Arab Emirates
T +971 800 44584, F +971 4 885 4405
ae.contactus@hilti.com, www.hilti.ae

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
DE 86916 Kaufering
Deutschland
T +49 8191 90-0
product.compliance-anchors@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +971 4 8019694 800-Hilti (44584) (Toll free)
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Not classified

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the applicable regulations

HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an eye specialist. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Potential adverse human health effects and symptoms	No additional information available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon monoxide. Carbon dioxide.
--	--

5.3. Special protective actions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel.
----------------------	---------------------------------

6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. After curing, the product can be disposed of with household waste. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. On land, sweep or shovel into suitable containers. Store away from other materials.
-------------------------	--

HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Protect from sunlight.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information

Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Hand protection

Protective gloves

Eye protection

Chemical goggles or safety glasses

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state

Solid

Appearance

Thixotropic paste

Colour

Light grey.

Odour

characteristic.

Odour threshold

Not available

Melting point

Not available

Freezing point

Not available

Boiling point

Not available

Flammability

Non flammable.

Lower explosion limit

Not applicable

Upper explosion limit

Not applicable

Flash point

Not applicable

Auto-ignition temperature

Not applicable

HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Decomposition temperature	Not available
pH	4.5 – 7.5
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	Not available
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not available
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified pH: 4.5 – 7.5
Serious eye damage/irritation	Not classified pH: 4.5 – 7.5
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	No additional information available.



HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

12.2. Persistence and degradability

HIT-FP 700 R, A	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

HIT-FP 700 R, A	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

HIT-FP 700 R, A	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	Avoid release to the environment.

SECTION 14: Transport information

In accordance with IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			



HIT-FP 700 R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

14.6. Special precautions for user

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date 1/15/2026
Revision date 1/15/2026

Section	Changed item	Comments
	Composition/information on ingredients	Added

Other information None.

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Issue date: 15/01/2026 Revision date: 29/04/2025

Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Trade name	HIT-FP 700-R, B
Product code	BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Composite mortar component for fasteners in the construction industry
Recommended use	For professional use only

1.4. Supplier's details

Supplier

Hilti Emirates L.L.C.
Dubai Investment Park
P.O. Box 11051
AE Dubai
United Arab Emirates
T +971 800 44584, F +971 4 885 4405
ae.contactus@hilti.com, www.hilti.ae

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
DE 86916 Kaufering
Deutschland
T +49 8191 90-0
product.compliance-anchors@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +971 4 8019694 800-Hilti (44584) (Toll free)
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin corrosion/irritation, Category 2	H315	On basis of test data
Serious eye damage/eye irritation, Category 1	H318	Calculation method
Full text of H-statements: see section 16		

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



Signal word (GHS UN)
Hazardous ingredients
Hazard statements (GHS UN)

Danger
lithium hydroxide; L-(+)-tartaric acid
H315 - Causes skin irritation
H318 - Causes serious eye damage
P280 - Wear eye protection, protective clothing, protective gloves.
P262 - Do not get in eyes, on skin, or on clothing.

Precautionary statements (GHS UN)

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water/....
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
citric acid	CAS-No.: 77-92-9	2.5 – 5	Acute toxicity (oral) Not classified Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, H335 Respiratory tract irritation, H335 Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard Not classified
Lithium sulphate	CAS-No.: 10377-48-7	1 – 2.5	Acute toxicity (oral), Category 4, H302 Serious eye damage/eye irritation, Category 2, H319
lithium hydroxide	CAS-No.: 1310-65-2	1 – 2.5	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhalation:dust,mist) Category 3, H331 Skin corrosion/irritation, Category 1, H314 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
L-(+)-tartaric acid	CAS-No.: 87-69-4	1 – 2.5	Acute toxicity (oral), Category 5, H303 Serious eye damage/eye irritation, Category 1, H318

Full text of H-statements: see section 16

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an eye specialist. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Potential adverse human health effects and symptoms	No additional information available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon monoxide. Carbon dioxide.
--	--

5.3. Special protective actions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel.
----------------------	---------------------------------

6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. On land, sweep or shovel into suitable containers. Store away from other materials.
-------------------------	--

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information	Do not eat, drink or smoke during use.
-------------------	--

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Hand protection	Protective gloves
Eye protection	Chemical goggles or safety glasses

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste
Colour	Light grey.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Decomposition temperature	Not available
pH	11 – 12.5
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	186.047 – 487.805 mm ² /s
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	2.05 – 2.15 g/cm ³
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not available
Viscosity, dynamic	400 – 1000
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

citric acid (77-92-9)	
LD50 oral rat	11700 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Lithium sulphate (10377-48-7)	
LD50 oral rat	613 mg/kg bodyweight (Rat, Experimental value, Oral)
LD50 oral	613 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

lithium hydroxide (1310-65-2)	
LD50 oral rat	330 mg/kg (Rat, Female, Weight of evidence, Oral)
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	3400 g/m ³
LC50 Inhalation - Rat (Dust/Mist)	0.96 mg/l/4h
L-(+)-tartaric acid (87-69-4)	
LD50 oral rat	2000 – 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, 14 day(s), Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Skin corrosion/irritation	Causes skin irritation. pH: 11 – 12.5
Serious eye damage/irritation	Causes serious eye damage. pH: 11 – 12.5
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
citric acid (77-92-9)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
HIT-FP 700-R, B	
Viscosity, kinematic	186.047 – 487.805 mm ² /s
Potential adverse human health effects and symptoms	No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

citric acid (77-92-9)	
LC50 - Fish [1]	440 – 760 mg/l (Equivalent or similar to OECD 203, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
Lithium sulphate (10377-48-7)	
EC50 72h - Algae [1]	> 400 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Read-across)
lithium hydroxide (1310-65-2)	
LC50 - Fish [1]	62.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Calculated value, Nominal concentration)
EC50 - Crustacea [1]	19.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

lithium hydroxide (1310-65-2)	
ErC50 algae	87.57 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Calculated value, Nominal concentration)
L-(+)-tartaric acid (87-69-4)	
EC50 72h - Algae [1]	51.404 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)

12.2. Persistence and degradability

HIT-FP 700-R, B	
Persistence and degradability	Not established.
citric acid (77-92-9)	
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.42 g O ₂ /g substance
Chemical oxygen demand (COD)	0.728 g O ₂ /g substance
ThOD	0.686 g O ₂ /g substance
Lithium sulphate (10377-48-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
lithium hydroxide (1310-65-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
L-(+)-tartaric acid (87-69-4)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.35 g O ₂ /g substance
Chemical oxygen demand (COD)	0.42 g O ₂ /g substance
ThOD	0.53 g O ₂ /g substance

12.3. Bioaccumulative potential

HIT-FP 700-R, B	
Bioaccumulative potential	Not established.
citric acid (77-92-9)	
Partition coefficient n-octanol/water (Log Kow)	-1.8 – -1.55 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
Lithium sulphate (10377-48-7)	
Partition coefficient n-octanol/water (Log Kow)	-4.38 (Calculated, 20 °C)
Bioaccumulative potential	Not bioaccumulative.
lithium hydroxide (1310-65-2)	
Bioaccumulative potential	Not bioaccumulative.



HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

L-(+)-tartaric acid (87-69-4)	
Partition coefficient n-octanol/water (Log Kow)	-1.91 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

HIT-FP 700-R, B	
Mobility in soil	No additional information available
citric acid (77-92-9)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Lithium sulphate (10377-48-7)	
Ecology - soil	No (test)data on mobility of the substance available.
lithium hydroxide (1310-65-2)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
L-(+)-tartaric acid (87-69-4)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. After curing, the product can be disposed of with household waste.
Ecological waste information	Avoid release to the environment.

SECTION 14: Transport information

In accordance with IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable



HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

IMDG	IATA	ADN	RID
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date	1/15/2026
Revision date	4/29/2025
Abbreviations and acronyms	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration factor BOD - Biochemical oxygen demand (BOD) COD - Chemical oxygen demand (COD) DNEL - Derived-No Effect Level EC-No. - European Community number EC50 - Median effective concentration IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods LC50 - Median lethal concentration LD50 - Median lethal dose NOEC - No-Observed Effect Concentration



HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

OECD - Organisation for Economic Co-operation and Development
PBT - Persistent Bioaccumulative Toxic
PNEC - Predicted No-Effect Concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS - Safety Data Sheet
ThOD - Theoretical oxygen demand (ThOD)
vPvB - Very Persistent and Very Bioaccumulative
ED - Endocrine disruptor
None.

Other information

Full text of H-statements:	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic Not classified	Hazardous to the aquatic environment – Chronic Hazard Not classified
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H303	May be harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

HIT-FP 700-R

Safety information for 2-Component-products

Issue date: 29/04/2025

Revision date: 29/04/2025

Version: 1.0

SECTION 1: Kit identification

1.1 Product identifier

Product name

HIT-FP 700-R



Product code

BU Anchor

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti Emirates L.L.C.
Dubai Investment Park
P.O. Box 11051
Dubai - United Arab Emirates
T +971 800 44584 - F +971 4 885 4405
ae.contactus@hilti.com - www.hilti.ae

SECTION 2: General information

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

SECTION 3:

Classification of the Product

Classification according to the United Nations GHS

Skin Irrit. 2
Eye Dam. 1

H315
H318

Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



GHS05

Signal word (GHS UN)

Danger

Hazardous ingredients

lithium hydroxide; L-(+)-tartaric acid

Hazard statements (GHS UN)

H315 - Causes skin irritation.
H318 - Causes serious eye damage.

Precautionary statements (GHS UN)


P280 - Wear eye protection, protective clothing, protective gloves.
P262 - Do not get in eyes, on skin, or on clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

HIT-FP 700-R

Safety information for 2-Component-products

Additional information

2-component-foilpack, contains:
 Component A: Cement, Inhibitor, Water
 Component B: Base, Accelerator, Filler



Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-FP 700-R, B		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Dam. 1, H318

Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-FP 700-R, A		1	pcs (pieces)	Not classified

SECTION 4: General advice

General advice

For professional users only

SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters Avoid release to the environment Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations.
Storage conditions	Protect from sunlight. Store in a well-ventilated place.
Technical measures	Comply with applicable regulations
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Avoid contact during pregnancy/while nursing
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product On land, sweep or shovel into suitable containers Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

SECTION 6: First aid measures

First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist
First-aid measures after ingestion	Do not induce vomiting Rinse mouth Immediately call a POISON CENTER/doctor.

HIT-FP 700-R

Safety information for 2-Component-products

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash with plenty of water/... Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical advice/attention.
First-aid measures general	Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects	Causes severe skin burns and eye damage.
Symptoms/effects after eye contact	Causes serious eye damage.
Symptoms/effects after skin contact	May cause an allergic skin reaction.

SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)
 Issue date: 29/04/2025 Revision date: 29/04/2025 : Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Trade name	HIT-FP 700-R, B
Product code	BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Composite mortar component for fasteners in the construction industry
Recommended uses and restrictions	For professional use only
Recommended use	Composite mortar component for fasteners in the construction industry

1.4. Supplier's details

Supplier

Hilti Emirates L.L.C.
 Dubai Investment Park
 P.O. Box 11051
 AE Dubai
 United Arab Emirates
 T +971 800 44584, F +971 4 885 4405
ae.contactus@hilti.com, www.hilti.ae

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
 Hiltistraße 6
 DE 86916 Kaufering
 Deutschland
 T +49 8191 906876
product.compliance-anchors@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +971 4 8019694 800-Hilti (44584) (Toll free)
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin corrosion/irritation, Category 2	H315	Expert judgement
Serious eye damage/eye irritation, Category 1	H318	Calculation method
Full text of H-statements: see section 16		

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



Signal word (GHS UN)
 Hazardous ingredients
 Hazard statements (GHS UN)

Danger
 lithium hydroxide; L-(+)-tartaric acid
 H315 - Causes skin irritation
 H318 - Causes serious eye damage
 P280 - Wear eye protection, protective clothing, protective gloves.
 P262 - Do not get in eyes, on skin, or on clothing.

Precautionary statements (GHS UN)

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water/....
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
citric acid	CAS-No.: 77-92-9	2.5 – 5	Acute toxicity (oral) Not classified Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, H335 Respiratory tract irritation, H335 Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard Not classified
Lithium sulphate	CAS-No.: 10377-48-7	1 – 2.5	Acute toxicity (oral), Category 4, H302 Serious eye damage/eye irritation, Category 2, H319
lithium hydroxide	CAS-No.: 1310-65-2	1 – 2.5	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhalation:dust,mist) Category 3, H331 Skin corrosion/irritation, Category 1, H314 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
L-(+)-tartaric acid	CAS-No.: 87-69-4	1 – 2.5	Acute toxicity (oral), Category 5, H303 Serious eye damage/eye irritation, Category 1, H318

Full text of H-statements: see section 16

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an eye specialist. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Potential adverse human health effects and symptoms	No additional information available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon monoxide. Carbon dioxide.
--	--

5.3. Special protective actions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel.
----------------------	---------------------------------

6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. On land, sweep or shovel into suitable containers. Store away from other materials.
-------------------------	--

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information	Do not eat, drink or smoke during use.
-------------------	--

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Hand protection	Protective gloves
Eye protection	Chemical goggles or safety glasses

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste
Colour	Light grey.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Decomposition temperature	Not available
pH	11 – 12.5
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	2.05 – 2.15 g/cm³
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not available
Viscosity, dynamic	400 – 1000
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

citric acid (77-92-9)	
LD50 oral rat	11700 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Lithium sulphate (10377-48-7)	
LD50 oral rat	613 mg/kg bodyweight (Rat, Experimental value, Oral)
LD50 oral	613 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

lithium hydroxide (1310-65-2)	
LD50 oral rat	330 mg/kg (Rat, Female, Weight of evidence, Oral)
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	3400 g/m ³
LC50 Inhalation - Rat (Dust/Mist)	0.96 mg/l/4h
L-(+)-tartaric acid (87-69-4)	
LD50 oral rat	2000 – 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, 14 day(s), Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Skin corrosion/irritation	Causes skin irritation. pH: 11 – 12.5
Serious eye damage/irritation	Causes serious eye damage. pH: 11 – 12.5
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
citric acid (77-92-9)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

citric acid (77-92-9)	
LC50 - Fish [1]	440 – 760 mg/l (Equivalent or similar to OECD 203, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
Lithium sulphate (10377-48-7)	
EC50 72h - Algae [1]	> 400 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Read-across)
lithium hydroxide (1310-65-2)	
LC50 - Fish [1]	62.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Calculated value, Nominal concentration)
EC50 - Crustacea [1]	19.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	87.57 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Calculated value, Nominal concentration)

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

L-(+)-tartaric acid (87-69-4)	
EC50 72h - Algae [1]	51.404 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)

12.2. Persistence and degradability

HIT-FP 700-R, B	
Persistence and degradability	Not established.

citric acid (77-92-9)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.42 g O ₂ /g substance
Chemical oxygen demand (COD)	0.728 g O ₂ /g substance
ThOD	0.686 g O ₂ /g substance

Lithium sulphate (10377-48-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

lithium hydroxide (1310-65-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

L-(+)-tartaric acid (87-69-4)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.35 g O ₂ /g substance
Chemical oxygen demand (COD)	0.42 g O ₂ /g substance
ThOD	0.53 g O ₂ /g substance

12.3. Bioaccumulative potential

HIT-FP 700-R, B	
Bioaccumulative potential	Not established.

citric acid (77-92-9)	
Partition coefficient n-octanol/water (Log Kow)	-1.8 – -1.55 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

Lithium sulphate (10377-48-7)	
Partition coefficient n-octanol/water (Log Kow)	-4.38 (Calculated, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

lithium hydroxide (1310-65-2)	
Bioaccumulative potential	Not bioaccumulative.

L-(+)-tartaric acid (87-69-4)	
Partition coefficient n-octanol/water (Log Kow)	-1.91 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)

HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

L-(+)-tartaric acid (87-69-4)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

HIT-FP 700-R, B	
Mobility in soil	No additional information available

citric acid (77-92-9)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

Lithium sulphate (10377-48-7)	
Ecology - soil	No (test)data on mobility of the substance available.

lithium hydroxide (1310-65-2)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.

L-(+)-tartaric acid (87-69-4)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. After curing, the product can be disposed of with household waste.
Ecological information	Avoid release to the environment.

SECTION 14: Transport information

In accordance with IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable



HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

IMDG	IATA	ADN	RID
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date 4/29/2025

Revision date 4/29/2025

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor
BOD - Biochemical oxygen demand (BOD)
COD - Chemical oxygen demand (COD)
DNEL - Derived-No Effect Level
EC-No. - European Community number
EC50 - Median effective concentration
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Median lethal concentration
LD50 - Median lethal dose
NOEC - No-Observed Effect Concentration
OECD - Organisation for Economic Co-operation and Development
PBT - Persistent Bioaccumulative Toxic
PNEC - Predicted No-Effect Concentration



HIT-FP 700-R, B

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS - Safety Data Sheet
ThOD - Theoretical oxygen demand (ThOD)
vPvB - Very Persistent and Very Bioaccumulative
ED - Endocrine disrupting properties
None.

Other information

Full text of H-statements:	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic Not classified	Hazardous to the aquatic environment – Chronic Hazard Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H303	May be harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 29/04/2025 Revision date: 29/04/2025

Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Trade name	HIT-FP 700-R, A
Product code	BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	Composite mortar component for fasteners in the construction industry
Recommended uses and restrictions	For professional use only
Recommended use	Composite mortar component for fasteners in the construction industry

1.4. Supplier's details

Supplier

Hilti Emirates L.L.C.
Dubai Investment Park
P.O. Box 11051
AE Dubai
United Arab Emirates
T +971 800 44584, F +971 4 885 4405
ae.contactus@hilti.com, www.hilti.ae

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
DE 86916 Kaufering
Deutschland
T +49 8191 906876
product.compliance-anchors@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +971 4 8019694 800-Hilti (44584) (Toll free)
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Not classified

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the applicable regulations

HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an eye specialist. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	No information available.
Symptoms/effects after skin contact	No information available.
Symptoms/effects after eye contact	No information available.
Symptoms/effects after ingestion	No information available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Dry powder. Carbon dioxide. Water spray. Alcohol-resistant foam.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	Thermal decomposition generates : Corrosive vapours. In case of fire and/or explosion do not breathe fumes.
--	---

5.3. Special protective actions for fire-fighters

Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Evacuate unnecessary personnel. Do not breathe vapours.
----------------------	---

6.1.2. For emergency responders

Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Collect all waste in suitable and labelled containers and dispose according to local legislation.
-------------------------	--

HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Do not breathe vapours. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Do not use metal containers. Keep container tightly closed.

Incompatible materials

Metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Other information

Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Hand protection

Protective gloves

Eye protection

Chemical goggles or safety glasses

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state

Solid

Appearance

Thixotropic paste

Colour

Light grey.

Odour

odourless.

Odour threshold

Not available

Melting point

Not available

Freezing point

Not available

Boiling point

Not available

Flammability

Non flammable.

Lower explosion limit

Not applicable

Upper explosion limit

Not applicable

Flash point

Not applicable

Auto-ignition temperature

Not applicable

Decomposition temperature

Not available

HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

pH	4.5 – 7.5
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	2.05 – 2.15 g/cm ³
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not available
Viscosity, dynamic	180 – 500
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
	pH: 4.5 – 7.5
Serious eye damage/irritation	Not classified
	pH: 4.5 – 7.5
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

12.2. Persistence and degradability

HIT-FP 700-R, A	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

HIT-FP 700-R, A	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

HIT-FP 700-R, A	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. After curing, the product can be disposed of with household waste.
Ecological information	Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			



HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date 4/29/2025

Revision date 4/29/2025

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor
BOD - Biochemical oxygen demand (BOD)
COD - Chemical oxygen demand (COD)
DNEL - Derived-No Effect Level
EC-No. - European Community number
EC50 - Median effective concentration
IATA - International Air Transport Association
IMDG - International Maritime Dangerous Goods
LC50 - Median lethal concentration
LD50 - Median lethal dose
NOEC - No-Observed Effect Concentration
OECD - Organisation for Economic Co-operation and Development
PBT - Persistent Bioaccumulative Toxic
PNEC - Predicted No-Effect Concentration
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS - Safety Data Sheet
ThOD - Theoretical oxygen demand (ThOD)
vPvB - Very Persistent and Very Bioaccumulative
ED - Endocrine disrupting properties

SDS_UN_Hilti



HIT-FP 700-R, A

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.